



HYDRANT METER PERMIT APPLICATION

855 WEST BASE LINE RD
RIALTO, CA 92376
909-875-1804

Instructions: Please complete highlighted areas.

Meter #: _____ Make: _____ Size: _____ HM Deposit: _____ BF Deposit: _____
Issue Date: _____ Issue Read: _____ Return Date: _____ Return Read: _____

Project/Job Name: _____ Contact Phone #: _____
Project Location/Address: _____ Cross Street: _____
Customer Name: _____ Customer Phone #: _____
Customer Address: _____ City: _____ State: _____ Zip Code: _____
Billing Info/Name: _____ Billing Phone #: _____
Billing Address: _____ City: _____ State: _____ Zip Code: _____
Meter will be used for: _____ District Job: Yes No

A Reduced Pressure (RP) Backflow Prevention Device is required for all hydrant meters.

I request use of a District backflow device for use with the hydrant meter (deposit required and fees apply) Yes No Test Fee: _____

Backflow make: _____ Model #: _____ Size: _____ Serial #: _____ Backflow inspected by: _____

The customer shall use all possible care to prevent damage to the meter, or any loaned facility of the District, which are involved in providing temporary service. Should a meter or other loaned facilities become damaged or stolen, the cost of replacement or repairs shall be the responsibility of the customer and will be billed accordingly. Tampering of a hydrant meter of any kind is a misdemeanor punishable by law and subject to fine. Seal wire damage or tampering shall result in forfeit of total deposit amount. Applicant shall provide the appropriate wrench necessary to operate fire hydrant valves.

Customer shall abide by the District's Rules and Regulations. Customer shall also, downstream of the meter connection, use and maintain fire hose, pipe, and fittings that are in good condition and repair leaks when they occur. Failure to do so will result in the District using its sole discretion to stop or terminate service. Additionally, during June, July, August, and September, the District at its sole discretion may only issue out 3-inch hydrant meters, require hydrant meters to be throttled down to 200 gallons per minute, and direct customer to either reduce or cease use for a period of time as identified by the District.

Applicability and Duration of Service: Applicable to temporary services, including hydrant connections of a non-permanent nature for construction or other purposes, and water for filling of sprayer tanks used for agricultural spraying, service shall be disconnected and terminated **within six (6) months** after installation, unless an extension of time is granted in writing by the District. **If we are unable to contact you for any thirty day period after receipt of the hydrant meter, your deposit will be forfeited and your water consumption shall be estimated.** A copy of this permit must be kept at the job site at all times. Hydrant meter and backflow prevention device must be made available for reading and/or inspection by District personnel at any time. The District requires the consumption rate for hydrant meters be measured in cubic feet, unless an agreement is made with the District in writing prior to the initiation of service. If the meter is relocated, a backflow test will be required. **Please allow 2 business days for hydrant meter installation or relocation. To close your account, please send request by email to backflow@wvwd.org.**

I have read the above provisions and agree to abide by them, along with the District's Water Service Rules and Regulations:

Customer's Signature: _____ Date: _____
Driver's License #: _____ Email Address: _____

Authorized Signature for District Job: _____

Note: District Jobs have a separate form that may be used.

OFFICE USE ONLY

Hydrant Meter Rental Inspection		Backflow Device Rental Inspection		Initial Deposits and Fees¹	
Seal Wire:	OUT _____ IN _____	Test Cocks (4):	OUT _____ IN _____	Minimum Water Use Deposit	\$350 each meter
Male Threads:	OUT _____ IN _____	Shutoffs (2):	OUT _____ IN _____	2" Backflow Deposit	\$1,500 each
Female Threads:	OUT _____ IN _____	Male Threads:	OUT _____ IN _____	3" Meter Deposit	\$1,800 each
Meter Restrictor:	OUT _____ IN _____	Female Threads:	OUT _____ IN _____	4" Meter Deposit	\$2,200 each
Strainer/Swivel:	OUT _____ IN _____	Handles:	OUT _____ IN _____	Backflow Test Fee, 3/4" to 2"	\$60 each
Register Glass:	OUT _____ IN _____			Backflow Test Fee, 3" to 8"	\$75 each
Register Cover:	OUT _____ IN _____			Hydrant Meter Relocation Fee	TBD ²
Handles:	OUT _____ IN _____	Clam Shells:	OUT _____ IN _____	Usage Rates and Charges	
Meter Read:	OUT _____ IN _____	Locks:	OUT _____ IN _____	Monthly Service Charge per Meter	\$73.17
District Job:	YES _____ NO _____	Stand:	OUT _____ IN _____	Consumption Rate	\$2.76/100 cf ³
Inspected by:	OUT _____ IN _____	Chain:	OUT _____ IN _____	Minimum Monthly Charge	\$115.78
				Monthly Service Charge per Backflow	\$2.84

¹Deposits are refundable upon return of equipment in good condition. Fees are non-refundable.

²Fees assessed based on District prevailing labor, equipment, and overhead charges required to inspect backflow during relocation.

³100cf = 1 unit = 748 gallons

Application taken by:	_____	Permit Renewal Date:	_____
Comments:	_____	Location ID:	_____
	_____	Customer ID:	_____
	_____	SPC:	_____

